ALIS PRO

ELECTROSURGERY



- Alis Pro Bipolar Scissors
- Non-Irrigating Bipolar Forceps
- Irrigating Bipolar Forceps
- Disposable Bipolar Forceps
- Bipolar Connecting Cords

761

CATALOGUE

ELECTROSURGERY

Alis Pro Bipolar Scissors

The versatility of Alis Pro Dissecting Bipolar Scissors enables:

- Parallel Cutting and Coagulating
- Precoagulation
- Pinpoint Coagulation
- Surface Coagulation



For more information about Bipolar Scissors see our brochure number **DOC456**.
See page 1199-1200 for appropriate connecting cords.

METZENBAUM BIPOLAR DISSECTING SCISSORS



BC691R-BC693R



1/1

BC691R-BC693R

Catalog Number	Tip	Length (in.)
BC691R	X-FINE	4 3/4
BC692R	X-FINE	5 1/2
BC693R	X-FINE	6 1/4

STEVENS BIPOLAR DISSECTING SCISSORS



BC694R-BC696R



1/1

BC694R-BC696R

Catalog Number	Tip	Length (in.)
BC694R	TENOTOMY	4 3/4
BC695R	TENOTOMY	5 1/2
BC696R	TENOTOMY	6 1/4

METZENBAUM BIPOLAR DISSECTING SCISSORS



BC685R-BC690R

1/1



1/1

BC685R



1/1


BC686R

Catalog Number	Tip	Length (in.)
BC685R	STANDARD	7
BC687R	STANDARD	9
BC689R	STANDARD	11
BC686R	FINE	7
BC688R	FINE	9
BC690R	FINE	11

info@royalinternational.org | +91 98142 62255 | www.alis.in

ELECTROSURGERY


Non-Irrigating Bipolar Forceps



YASARGIL BIPOLAR FORCEPS FEATURES:

- High precision, tissue preserving preparation instrument
- Stronger tension of the forceps allows for blunt spreading of the tissue.

Tip Size Reference Chart	
0.2 mm	0.8 mm
0.25 mm	0.9 mm
0.4 mm	1.0 mm
0.5 mm	1.3 mm
0.6 mm	1.5 mm
0.7 mm	2.0 mm



1/1
GK746R, GK760R, GK764R

1/1
GK747R, GK761R, GK765R

1/1
GK748R, GK762R, GK766R

1/1
GK749R, GK763R, GK767R

YASARGIL STYLE BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK746R	0.4	BAYONET	INS*	NON-IRRG*	3/4	5 1/2
GK747R	0.7	BAYONET	INS	NON-IRRG	3/4	5 1/2
GK748R	1.0	BAYONET	INS	NON-IRRG	3/4	5 1/2
GK749R	1.3	BAYONET	INS	NON-IRRG	3/4	5 1/2
GK760R	0.4	BAYONET	INS	NON-IRRG	1 3/8	6 1/8
GK761R	0.7	BAYONET	INS	NON-IRRG	1 3/8	6 1/8
GK762R	1.0	BAYONET	INS	NON-IRRG	1 3/8	6 1/8
GK763R	1.3	BAYONET	INS	NON-IRRG	1 3/8	6 1/8
GK764R	0.4	BAYONET	INS	NON-IRRG	2 1/4	6 7/8
GK765R	0.7	BAYONET	INS	NON-IRRG	2 1/4	6 7/8
GK766R	1.0	BAYONET	INS	NON-IRRG	2 1/4	6 7/8
GK767R	1.3	BAYONET	INS	NON-IRRG	2 1/4	6 7/8


* Key:
INS = Insulating
NON-IRRG = Non-Irrigating
IRRG = Irrigating

info@royalinternational.org | +91 98142 62255 | www.alis.in

ELECTROSURGERY


Non-Irrigating Bipolar Forceps

YASARGIL STYLE BIPOLAR FORCEPS, STAINLESS STEEL




Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK768R	0.4	BAYONET	INS	NON-IRRG	3	7 3/4
GK769R	0.7	BAYONET	INS	NON-IRRG	3	7 3/4
GK770R	1.0	BAYONET	INS	NON-IRRG	3	7 3/4
GK771R	1.3	BAYONET	INS	NON-IRRG	3	7 3/4
GK772R	0.4	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
GK773R	0.7	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
GK774R	1.0	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
GK775R	1.3	BAYONET	INS	NON-IRRG	3 3/4	8 1/2

YASARGIL STYLE BIPOLAR FORCEPS, STAINLESS STEEL



Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK788R	0.4	BAYONET	INS	NON-IRRG	4 1/2	9 1/4
GK789R	0.7	BAYONET	INS	NON-IRRG	4 1/2	9 1/4
GK790R	1.0	BAYONET	INS	NON-IRRG	4 1/2	9 1/4
GK791R	1.3	BAYONET	INS	NON-IRRG	4 1/2	9 1/4
GK793R	0.7	BAYONET	INS	NON-IRRG	5 1/4	10

YASARGIL STYLE BIPOLAR FORCEPS




Catalog Number	Tip	Tip Size (mm)	Working Length (in.)	Length (in.)
GK831R	RING	2/3	4 1/2	9 1/4
GK832R	RING	3/4	4 1/2	9 1/4
GK833R	RING	4/5	4 1/2	9 1/4

info@royalinternational.org | +91 98142 62255 | www.alis.in


ELECTROSURGERY

Non-Irrigating Bipolar Forceps


YASARGIL STYLE BIPOLAR FORCEPS, STAINLESS STEEL



Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK777R	45° UP	0.7	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
GK780R	90° UP	0.4	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
GK781R	90° UP	0.7	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
GK785R	90° DOWN	0.7	BAYONET	INS	NON-IRRG	3 3/4	8 1/2



BIPOLAR FORCEPS, STAINLESS STEEL



Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK660R	0.6	BAYONET	INS	NON-IRRG	1 1/2	6 1/4
GK670R	0.6	BAYONET	INS	NON-IRRG	3 1/8	7 7/8
GK671R	0.9	BAYONET	INS	NON-IRRG	3 1/8	7 7/8
GK675R	0.6	BAYONET	INS	NON-IRRG	4	8 3/4
GK677R	0.6	BAYONET	INS	NON-IRRG	4 3/4	9 1/2
GK679R	0.9	BAYONET	INS	NON-IRRG	4 3/4	9 1/2

info@royalinternational.org | +91 98142 62255 | www.alis.in

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

Bayonet Forceps, Rose Gold, Insulated

- Rose Gold plated tips reduce tissue adhesion



Non-Stick Rose Gold forceps
The Rose Gold forceps enable heat to be quickly discharged away from the tip.




Standard forceps
The heat cannot be discharged fast enough. This leads to overheating and sticking of tissue.

ROSE GOLD BIPOLAR FORCEPS, BAYONET-SHAPED



US173-US621



1/1
US403, US530, US600, US610, US615



1/1
US404, US601, US611, US616, US621



1/1
US405, US602, US612, US617



1/1
US173, US406, US603, US613, US618



1/1
US407, US531, US604, US614, US619

Catalog Number	Tip Size (mm)	Style	Insulation	Irrigation	Working Length (in.)	Length (in.)
US403	0.5	HARDY	INS	NON-IRRG	2	6
US404	0.7	HARDY	INS	NON-IRRG	2	6
US405	1.0	HARDY	INS	NON-IRRG	2	6
US406	1.5	HARDY	INS	NON-IRRG	2	6
US407	2.0	HARDY	INS	NON-IRRG	2	6
US605	0.5	SCOVILLE	INS	NON-IRRG	2 3/4	7 3/4
US606	0.7	SCOVILLE	INS	NON-IRRG	2 3/4	7 3/4
US607	1.0	SCOVILLE	INS	NON-IRRG	2 3/4	7 3/4
US608	1.5	SCOVILLE	INS	NON-IRRG	2 3/4	7 3/4
US609	2.0	SCOVILLE	INS	NON-IRRG	2 3/4	7 3/4
US600	0.5	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US601	0.7	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US602	1.0	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US603	1.5	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US604	2.0	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US610	0.5	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US611	0.7	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US612	1.0	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US613	1.5	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US614	2.0	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US615	0.5	HARDY	INS	NON-IRRG	5	9
US616	0.7	HARDY	INS	NON-IRRG	5	9
US617	1.0	HARDY	INS	NON-IRRG	5	9
US618	1.5	HARDY	INS	NON-IRRG	5	9
US619	2.0	HARDY	INS	NON-IRRG	5	9
US530	0.5	HARDY	INS	NON-IRRG	6	10
US620	0.7	HARDY	INS	NON-IRRG	6	10
US621	1.0	HARDY	INS	NON-IRRG	6	10
US173	1.5	HARDY	INS	NON-IRRG	6	10
US531	2.0	HARDY	INS	NON-IRRG	6	10

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

ROSE GOLD MICROFORM BIPOLAR FORCEPS



US526-US589 1/2

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US526	0.5	BAYONET	INS	NON-IRRG	1 3/8	6
US527	0.7	BAYONET	INS	NON-IRRG	1 3/8	6
US528	1.0	BAYONET	INS	NON-IRRG	1 3/8	6
US529	1.3	BAYONET	INS	NON-IRRG	1 3/8	6
US570	0.5	BAYONET	INS	NON-IRRG	2 3/8	7
US571	0.7	BAYONET	INS	NON-IRRG	2 3/8	7
US572	1.0	BAYONET	INS	NON-IRRG	2 3/8	7
US573	1.3	BAYONET	INS	NON-IRRG	2 3/8	7
US574	0.5	BAYONET	INS	NON-IRRG	3	7 3/4
US575	0.7	BAYONET	INS	NON-IRRG	3	7 3/4
US576	1.0	BAYONET	INS	NON-IRRG	3	7 3/4
US577	1.3	BAYONET	INS	NON-IRRG	3	7 3/4
US578	0.5	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
US579	0.7	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
US580	1.0	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
US581	1.3	BAYONET	INS	NON-IRRG	3 3/4	8 1/2
US582	0.5	BAYONET	INS	NON-IRRG	4 1/2	9 1/4
US583	0.7	BAYONET	INS	NON-IRRG	4 1/2	9 1/4
US584	1.0	BAYONET	INS	NON-IRRG	4 1/2	9 1/4
US585	1.3	BAYONET	INS	NON-IRRG	4 1/2	9 1/4
US586	0.5	BAYONET	INS	NON-IRRG	5 1/2	10 1/4
US587	0.7	BAYONET	INS	NON-IRRG	5 1/2	10 1/4
US588	1.0	BAYONET	INS	NON-IRRG	5 1/2	10 1/4
US589	1.3	BAYONET	INS	NON-IRRG	5 1/2	10 1/4

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

ROSE GOLD REVERSE ACTION BIPOLAR FORCEPS

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US547	0.7	BAYONET	INS	NON-IRRG	6	10
US548	1.0	BAYONET	INS	NON-IRRG	6	10



US547-US548 US547-US548

ROSE GOLD MINIMALLY INVASIVE (MIS) FORCEPS

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US541	STR	0.7	BAYONET	INS	NON-IRRG	5 1/4	9 1/2
US542	STR	1.2	BAYONET	INS	NON-IRRG	5 1/4	9 1/2
US543	STR	0.7	BAYONET	INS	NON-IRRG	6 1/4	10 1/2
US544	STR	1.2	BAYONET	INS	NON-IRRG	6 1/4	10 1/2
US545	45° UP	0.7	BAYONET	INS	NON-IRRG	5 1/4	9 1/2
US546	45° UP	0.7	BAYONET	INS	NON-IRRG	6 1/4	10 1/2



US541-US546



US541-US546

ROSE GOLD SEMKIN BIPOLAR FORCEPS

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US413	1.5	STR	INS	NON-IRRG	6



US413

info@royalinternational.org | +91 98142 62255 | www.alis.in

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

SCOVILLE BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US534	1.0	BAYONET	INS	NON-IRRG	2 3/4	7 3/4
US301	1.5	BAYONET	INS	NON-IRRG	2 3/4	7 3/4
US300	1.5	BAYONET	NON-INS	NON-IRRG	2 3/4	7 3/4



US301, US534 1/2



US300 1/2

GERALD BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US342	1.0	BAYONET	INS	NON-IRRG	3 1/2	7 1/2
US307	1.0	BAYONET	NON-INS	NON-IRRG	3 1/2	7 1/2



US342, US307 1/2

CUSHING BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US308	0.7	BAYONET	INS	NON-IRRG	3 1/2	7 1/2
US182	1.0	BAYONET	INS	NON-IRRG	3 1/2	7 1/2
US183	1.5	BAYONET	INS	NON-IRRG	3 1/2	7 1/2
US305	2.0	BAYONET	INS	NON-IRRG	3 1/2	7 1/2



US182-US183, US305, US308 1/2



US308 1/1 US182 1/1 US183 1/1 US305 1/1

info@royalinternational.org | +91 98142 62255 | www.alis.in

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

HARDY BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US310	0.5	BAYONET	INS	NON-IRRG	4 1/2	8 1/2
US536	0.7	BAYONET	INS	NON-IRRG	4 1/2	8 1/2
US184	1.0	BAYONET	INS	NON-IRRG	4 1/2	8 1/2
US185	1.5	BAYONET	INS	NON-IRRG	4 1/2	8 1/2
US186	2.0	BAYONET	INS	NON-IRRG	4 1/2	8 1/2
US187	0.5	BAYONET	INS	NON-IRRG	6	10
US188	1.0	BAYONET	INS	NON-IRRG	6	10
US189	1.5	BAYONET	INS	NON-IRRG	6	10



US184-US189, US310, US536



1/1 US187, US310 | 1/1 US536 | 1/1 US184, US188 | 1/1 US185, US189 | 1/1 US186

HARDY BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US309	0.5	BAYONET	NON-INS	NON-IRRG	4 1/2	8 1/2



US309 1/2

1/1 US309

BARRÉ ALIS PRO NERVE/TISSUE SPARING BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
GK685R	3.0	BAYONET	INS	NON-IRRG	10 1/4



GK685R 1/2



1/1 GK685R

ELECTROSURGERY


Non-Irrigating Bipolar Forceps

STRONG TENSION BIPOLAR FORCEPS, STAINLESS STEEL



US314-US325

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US314	0.5	BAYONET	NON-INS	NON-IRRG	2 3/8	6 1/4
US315	0.7	BAYONET	NON-INS	NON-IRRG	2 3/8	6 1/4
US316	1.0	BAYONET	NON-INS	NON-IRRG	2 3/8	6 1/4
US317	1.3	BAYONET	NON-INS	NON-IRRG	2 3/8	6 1/4
US318	0.5	BAYONET	NON-INS	NON-IRRG	3 1/4	7 1/8
US319	0.7	BAYONET	NON-INS	NON-IRRG	3 1/4	7 1/8
US320	1.0	BAYONET	NON-INS	NON-IRRG	3 1/4	7 1/8
US321	1.3	BAYONET	NON-INS	NON-IRRG	3 1/4	7 1/8
US322	0.5	BAYONET	NON-INS	NON-IRRG	4	7 7/8
US323	0.7	BAYONET	NON-INS	NON-IRRG	4	7 7/8
US324	1.0	BAYONET	NON-INS	NON-IRRG	4	7 7/8
US325	1.3	BAYONET	NON-INS	NON-IRRG	4	7 7/8




CASPAR Style Bipolar Forceps:

- Developed for precision neurosurgery with a special focus on spine surgery.
- Parallel guiding handle for exact tip alignment.

ELECTROSURGERY


Non-Irrigating Bipolar Forceps

CASPAR STYLE BIPOLAR FORCEPS, STAINLESS STEEL



Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK899R	0.2	BAYONET	INS	NON-IRRG	2 3/4	6 1/2
GK900R	0.5	BAYONET	INS	NON-IRRG	2 3/4	6 1/2
GK910R	1.0	BAYONET	INS	NON-IRRG	2 3/4	6 1/2
GK920R	2.0	BAYONET	INS	NON-IRRG	2 3/4	6 1/2
GK929R	0.2	BAYONET	INS	NON-IRRG	4	7 3/4
GK930R	0.5	BAYONET	INS	NON-IRRG	4	7 3/4
GK940R	1.0	BAYONET	INS	NON-IRRG	4	7 3/4
GK950R	2.0	BAYONET	INS	NON-IRRG	4	7 3/4
GK959R	0.2	BAYONET	INS	NON-IRRG	5	8 3/4
GK960R	0.5	BAYONET	INS	NON-IRRG	5	8 3/4
GK970R	1.0	BAYONET	INS	NON-IRRG	5	8 3/4
GK980R	2.0	BAYONET	INS	NON-IRRG	5	8 3/4

CASPAR STYLE BIPOLAR FORCEPS, STAINLESS STEEL




Catalog Number	Tip	Shape	Tip Size (mm)	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK976R	90° UP	BAYONET	1.0	INS	NON-IRRG	4 3/4	8 1/2
GK978R	90° DOWN	BAYONET	1.0	INS	NON-IRRG	4 3/4	8 1/2
GK972R	45° UP	BAYONET	1.0	INS	NON-IRRG	5	8 3/4
GK974R	45° DOWN	BAYONET	1.0	INS	NON-IRRG	5	8 3/4

info@royalinternational.org | +91 98142 62255 | www.alis.in

ELECTROSURGERY

Non-Irrigating Bipolar Forceps


SINTRAM BIPOLAR FORCEPS



Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK644R	STR	0.7 x 6	BAYONET	INS	NON-IRRG	2 3/8	6 1/4
GK645R	STR	1.0 x 6	BAYONET	INS	NON-IRRG	3 1/4	7 1/4
GK646R	STR	1.0 x 6	BAYONET	INS	NON-IRRG	4	7 7/8
GK614R	STR	0.7 x 23	BAYONET	INS	NON-IRRG	2 3/8	6 1/4
GK615R	STR	1.0 x 23	BAYONET	INS	NON-IRRG	3 1/4	7 1/4
GK616R	STR	1.0 x 23	BAYONET	INS	NON-IRRG	4	7 7/8
GK604R	STR	0.9 x 23	STR	INS	NON-IRRG	-	6 1/4
GK605R	STR	0.9 x 23	STR	INS	NON-IRRG	-	7 1/4
GK606R	STR	0.9 x 23	STR	INS	NON-IRRG	-	7 7/8
GK624R	ANG 35°	0.9 x 23	STR	INS	NON-IRRG	-	6 1/4
GK625R	ANG 35°	0.9 x 23	STR	INS	NON-IRRG	-	7 7/8



MALIS STYLE TITANIUM BIPOLAR FORCEPS



Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US331	STR	0.5	BAYONET	NON-INS	NON-IRRG	3 3/4	8 3/4
US332	STR	1.0	BAYONET	NON-INS	NON-IRRG	3 3/4	8 3/4
US330	STR	1.5	BAYONET	NON-INS	NON-IRRG	3 3/4	8 3/4
US333	ANG-UP	0.5	BAYONET	NON-INS	NON-IRRG	3 3/4	8 3/4
US175	ANG-DOWN	0.5	BAYONET	NON-INS	NON-IRRG	3 3/4	8 3/4



info@royalinternational.org | +91 98142 62255 | www.alis.in

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

MALIS STYLE ROSE GOLD BIPOLAR FORCEPS

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US161	STR	0.5	BAYONET	INS	NON-IRRG	3 3/4	8 3/4
US162	STR	1.0	BAYONET	INS	NON-IRRG	3 3/4	8 3/4
US163	STR	1.5	BAYONET	INS	NON-IRRG	3 3/4	8 3/4
US164	ANG-UP	0.5	BAYONET	INS	NON-IRRG	3 3/4	8 3/4
US165	ANG-DOWN	0.5	BAYONET	INS	NON-IRRG	3 3/4	8 3/4



US161-US165



US161 US162 US163 US164 US165

TITANIUM BIPOLAR FORCEPS

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US326	STR	0.5	STR	NON-INS	NON-IRRG	6
US328	STR	0.5	STR	NON-INS	NON-IRRG	7 1/8
US327	CVD	0.5	STR	NON-INS	NON-IRRG	6
US329	CVD	0.5	STR	NON-INS	NON-IRRG	7 1/8



US326, US328



US327, US329

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

MICRO BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip	Tip Size (mm)	Shape	Irrigation	Insulation	Length (in.)
US345	STR	0.7	STR	NON-INS	NON-IRRG	6
US347	STR	0.7	STR	NON-INS	NON-IRRG	7 1/8
US346	CVD	0.7	STR	NON-INS	NON-IRRG	6
US348	CVD	0.7	STR	NON-INS	NON-IRRG	7 1/8



US345, US347



US346, US348

CLASSIC BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
GK700R	STR	0.6	STR	INS	NON-IRRG	6 1/4
GK701R	STR	0.9	STR	INS	NON-IRRG	6 1/4
GK703R	STR	0.9	STR	INS	NON-IRRG	7 7/8
GK711R	ANG-DOWN	0.9	STR	INS	NON-IRRG	6 1/4
GK713R	ANG-DOWN	0.9	STR	INS	NON-IRRG	7 7/8



GK700R-GK703R



1/1

GK700R, GK701R, GK703R



GK711R-GK713R



1/1

GK711R, GK713R

TENZEL BIPOLAR FORCEPS, STAINLESS STEEL



1/2

US178, US338



1/1

US178, US338

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US178	CVD	0.4	STR	INS	NON-IRRG	4
US338	CVD	0.4	STR	NON-INS	NON-IRRG	4

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

CLASSIC BIPOLAR FORCEPS, STAINLESS STEEL



GK690R GK690R


GK720R, GK722R, GK730R



GK720R GK722R, GK730R



GK723R GK723R

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
GK690R	STR	0.4	STR	INS	NON-IRRG	4 3/4
GK720R	STR	0.6	STR	INS	NON-IRRG	6 1/4
GK722R	STR	0.9	STR	INS	NON-IRRG	6 1/4
GK730R	STR	0.9	STR	INS	NON-IRRG	7 7/8
GK723R	ANG-DOWN	0.9	STR	INS	NON-IRRG	6 1/4

JEWELERS BIPOLAR FORCEPS, STAINLESS STEEL



US335, US337



US159 US159

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US337	STR	0.4	STR	INS	NON-IRRG	4
US335	STR	0.4	STR	NON-INS	NON-IRRG	4
US159	CVD	0.4	STR	INS	NON-IRRG	4
US336	CVD	0.4	STR	NON-INS	NON-IRRG	4

ADSON BIPOLAR FORCEPS, STAINLESS STEEL



US339-US340

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US340	STR	1.0	STR	INS	NON-IRRG	5
US339	STR	1.0	STR	NON-INS	NON-IRRG	5

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

SEMKIN BIPOLAR FORCEPS, STAINLESS STEEL



US179-US344

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US179	0.7	STR	INS	NON-IRRG	5 1/2
US311	0.7	STR	NON-INS	NON-IRRG	5 1/2
US344	2.0	STR	INS	NON-IRRG	6
US196	2.0	STR	NON-INS	NON-IRRG	6

CUSHING BIPOLAR FORCEPS, STAINLESS STEEL



US197-US304

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US197	0.7	STR	INS	NON-IRRG	6
US302	0.7	STR	NON-INS	NON-IRRG	6
US304	1.5	STR	INS	NON-IRRG	7
US303	1.5	STR	NON-INS	NON-IRRG	7

GERALD BIPOLAR FORCEPS, STAINLESS STEEL




US306-US341

Catalog Number	Tip	Shape	Insulation	Irrigation	Length (in.)
US341	STR	STR	INS	NON-IRRG	7
US306	STR	STR	NON-INS	NON-IRRG	7

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

ROSE GOLD BIPOLAR FORCEPS




Catalog Number	Tip Size (mm)	Shape	Style	Insulation	Irrigation	Length (in.)
US171	1.0	STR	ADSON	INS	NON-IRRG	5
US172	0.4	STR	JEWELERS	INS	NON-IRRG	4

MALIS STYLE TITANIUM BIPOLAR FORCEPS



Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US176	0.25	STR	NON-INS	NON-IRRG	6
US177	0.5	STR	NON-INS	NON-IRRG	6

MICRO AND LABORATORY FORCEPS, STAINLESS STEEL



Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
GK596R	STR	0.3	STR	INS	NON-IRRG	5 3/4
GK595R	STR	0.6	STR	INS	NON-IRRG	4 3/4
GK597R	CVD	0.6	STR	INS	NON-IRRG	4 1/4

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

BiProtect®
Ceramic Insulated Tip, Insulated

- Ceramic tip insulation helps ensure that heat concentrates on the inner and distal part of the forceps
- Less collateral damage and reduced thermal spread
- Partially insulated tip allows for precise and safe surface coagulation

YASARGIL BIPROTECT CERAMIC INSULATED TIP FORCEPS

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GL470R	STR	0.4	BAYONET	INS	NON-IRRG	3 1/2	7 3/4
GL471R	STR	0.8	BAYONET	INS	NON-IRRG	3 1/2	7 3/4
GL480R	STR	0.4	BAYONET	INS	NON-IRRG	4 1/2	8 1/2
GL481R	STR	0.8	BAYONET	INS	NON-IRRG	4 1/2	8 1/2



GL470R-GL481R



1/1

GL470R, GL480R



1/1

GL471R, GL481R

TRANSNASAL BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK719R	1.0	ANG	INS	NON-IRRG	5 1/8	8 1/2



1/2

1/1

GK719R

GK719R

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

MIN INSTRUMENTS, PIVOT-POINT BIPOLAR FORCEPS, TRANSNASAL



Special pin between the branches opens the tip of the forceps by additional compression of the handle, allowing secure coagulation in narrow and deep seated surgical ¦elds.

Catalog Number	Tip	Tip Size (mm)	Shape	Working Length (in.)	Length (in.)
GK822R	STR	0.7	BAYONET	3 3/4	8 1/2
GK824R	STR	1.0	BAYONET	3 3/4	8 1/2
GK826R	STR	0.7	BAYONET	5 1/4	10
GK828R	STR	1.0	BAYONET	5 1/4	10
GK823R	CVD	0.7	BAYONET	3 3/4	8 1/2
GK825R	CVD	1.0	BAYONET	3 3/4	8 1/2
GK827R	CVD	0.7	BAYONET	5 1/4	10
GK829R	CVD	1.0	BAYONET	5 1/4	10




GK822R-GK824R 1/2



GK826R-GK828R 1/2



GK823R-GK825R 1/2



GK827R-GK829R 1/2



1/1

GK822R, GK823R, GK826R, GK827R



1/1

GK824R, GK825R, GK828R, GK829R

ELECTROSURGERY

Non-Irrigating Bipolar Forceps

LANDOLT BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip	Insulation	Irrigation	Description	Working Length (in.)
GK560R	ANG 90°	INS	NON-IRRG	COAGULATION FORCEPS F/ HYPOPHYSECTOMY	6
GK561R	90°	-	-	SPARE INNER PART F/ GK560R	
GK580R	ANG 120°	INS	NON-IRRG	COAGULATION FORCEPS F/ HYPOPHYSECTOMY	6
GK581R	120°	-	-	SPARE INNER PART F/ GK580R	



ELECTROSURGERY

Irrigating Bipolar Forceps

▮ Irrigating coagulation forceps facilitate gentle coagulation without tissue adhesion.

ROSE GOLD IRRIGATING BIPOLAR FORCEPS



US174-US533

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US622	0.5	BAYONET	INS	IRRG	3 1/2	7 1/2
US623	0.7	BAYONET	INS	IRRG	3 1/2	7 1/2
US624	1.0	BAYONET	INS	IRRG	3 1/2	7 1/2
US625	1.5	BAYONET	INS	IRRG	3 1/2	7 1/2
US626	2.0	BAYONET	INS	IRRG	3 1/2	7 1/2
US627	0.5	BAYONET	INS	IRRG	3	7 3/4
US628	0.7	BAYONET	INS	IRRG	3	7 3/4
US629	1.0	BAYONET	INS	IRRG	3	7 3/4
US630	1.5	BAYONET	INS	IRRG	3	7 3/4
US631	2.0	BAYONET	INS	IRRG	3	7 3/4
US632	0.5	BAYONET	INS	IRRG	4 1/2	8 1/2
US633	0.7	BAYONET	INS	IRRG	4 1/2	8 1/2
US634	1.0	BAYONET	INS	IRRG	4 1/2	8 1/2
US635	1.5	BAYONET	INS	IRRG	4 1/2	8 1/2
US636	2.0	BAYONET	INS	IRRG	4 1/2	8 1/2
US637	0.5	BAYONET	INS	IRRG	5	9
US638	0.7	BAYONET	INS	IRRG	5	9
US639	1.0	BAYONET	INS	IRRG	5	9
US640	1.5	BAYONET	INS	IRRG	5	9
US641	2.0	BAYONET	INS	IRRG	5	9
US532	0.5	BAYONET	INS	IRRG	6	10
US642	0.7	BAYONET	INS	IRRG	6	10
US643	1.0	BAYONET	INS	IRRG	6	10
US174	1.5	BAYONET	INS	IRRG	6	10
US533	2.0	BAYONET	INS	IRRG	6	10

CUSHING IRRIGATING BIPOLAR FORCEPS, STAINLESS STEEL



US190-US370 1/2



1/1

US190-US370

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US369	0.7	BAYONET	INS	IRRG	3 1/2	7 1/2
US190	1.0	BAYONET	INS	IRRG	3 1/2	7 1/2
US191	1.5	BAYONET	INS	IRRG	3 1/2	7 1/2
US370	2.0	BAYONET	INS	IRRG	3 1/2	7 1/2

ELECTROSURGERY

Irrigating Bipolar Forceps

HARDY IRRIGATING BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US366	0.5	BAYONET	INS	IRRG	4 1/2	8 1/2
US382	1.0	BAYONET	INS	IRRG	4 1/2	8 1/2
US385	1.5	BAYONET	INS	IRRG	4 1/2	8 1/2
US192	2.0	BAYONET	INS	IRRG	4 1/2	8 1/2
US193	0.5	BAYONET	INS	IRRG	6	10
US194	1.0	BAYONET	INS	IRRG	6	10
US195	1.5	BAYONET	INS	IRRG	6	10
US558	0.5	BAYONET	NON-INS	IRRG	4 1/2	8 1/2



US192-US195, US382, US385, US558 1/2



1/1

US192-US195, US382, US385, US558

SCOVILLE IRRIGATING BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US367	1.5	BAYONET	INS	IRRG	2 3/4	7 3/4
US556	1.5	BAYONET	NON-INS	IRRG	2 3/4	7 3/4



US367, US556 1/2

GERALD IRRIGATING BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US368	1.0	BAYONET	INS	IRRG	3 1/2	7 1/2
US557	1.0	BAYONET	NON-INS	IRRG	3 1/2	7 1/2



US368, US557 1/2

ELECTROSURGERY

Irrigating Bipolar Forceps

MALIS STYLE TITANIUM IRRIGATING BIPOLAR FORCEPS

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US360	STR	1.5	BAYONET	INS	IRRG	3 3/4	8 3/4
US361	STR	0.5	BAYONET	INS	IRRG	3 3/4	8 3/4
US362	STR	1.0	BAYONET	INS	IRRG	3 3/4	8 3/4
US363	ANG-UP	0.5	BAYONET	INS	IRRG	3 3/4	8 3/4
US372	ANG-DOWN	0.5	BAYONET	INS	IRRG	3 3/4	8 3/4



1/2

US360-US362



1/1

US360-US362



1/2

US363, US372



1/1

US363, US372

MALIS STYLE ROSE GOLD IRRIGATING BIPOLAR FORCEPS

Catalog Number	Tip	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US166	STR	0.5	BAYONET	INS	IRRG	3 3/4	8 3/4
US167	STR	1.0	BAYONET	INS	IRRG	3 3/4	8 3/4
US168	STR	1.5	BAYONET	INS	IRRG	3 3/4	8 3/4
US169	ANG-UP	0.5	BAYONET	INS	IRRG	3 3/4	8 3/4
US170	ANG-DOWN	0.5	BAYONET	INS	IRRG	3 3/4	8 3/4



1/2

US166-US168



1/2

US169-US170

ELECTROSURGERY

Irrigating Bipolar Forceps

IRRIGATING BIPOLAR FORCEPS, STAINLESS STEEL

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
GK838R	0.7	BAYONET	INS	IRRG	2	6 1/2
GK840R	0.4	BAYONET	INS	IRRG	2 3/4	7
GK841R	0.7	BAYONET	INS	IRRG	2 3/4	7
GK842R	1.3	BAYONET	INS	IRRG	2 3/4	7
GK843R	0.4	BAYONET	INS	IRRG	3 1/2	8
GK844R	0.7	BAYONET	INS	IRRG	3 1/2	8
GK845R	1.3	BAYONET	INS	IRRG	3 1/2	8
GK846R	0.4	BAYONET	INS	IRRG	4 1/2	9
GK847R	0.7	BAYONET	INS	IRRG	4 1/2	9
GK848R	1.3	BAYONET	INS	IRRG	4 1/2	9

50 mm, 2"

GK838R



1/2

70 mm, 2 3/4"

GK840R-GK842R



1/2

90 mm, 3 1/2"

GK843R-GK845R



1/2

115 mm, 4 1/2"

GK846R-GK848R



1/2



1/1

GK838R, GK841R, GK844R, GK847R



1/1

GK840R, GK843R, GK846R



1/1

GK842R, GK845R, GK848R

ELECTROSURGERY

Disposable Bipolar Forceps

STAINLESS STEEL DISPOSABLE BIPOLAR FORCEPS, BOX OF 10



US153SU-US567SU 1/2

1/1

US153SU-US567SU

Catalog Number	Tip Size (mm)	Shape	Style	Insulation	Irrigation	Working Length (in.)	Length (in.)
US153SU	1.5	BAYONET	SCOVILLE	INS	NON IRRG	2 3/4	7 3/4
US567SU	2.0	BAYONET	CUSHING	INS	NON IRRG	2 3/4	7 3/4
US562SU	0.7	BAYONET	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US560SU	1.0	BAYONET	GERALD	INS	NON-IRRG	3 1/2	7 1/2
US154SU	0.5	BAYONET	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US155SU	1.0	BAYONET	HARDY	INS	NON IRRG	4 1/2	8 1/2
US156SU	1.5	BAYONET	HARDY	INS	NON IRRG	4 1/2	8 1/2
US157SU	2.0	BAYONET	HARDY	INS	NON IRRG	4 1/2	8 1/2

ADSON DISPOSABLE BIPOLAR FORCEPS, STAINLESS STEEL, BOX OF 10



US158SU 1/2



1/1

US158SU

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US158SU	1.0	STR	INS	NON-IRRG	5

DISPOSABLE JEWELERS BIPOLAR FORCEPS, STAINLESS STEEL, BOX OF 10



US568SU-US569SU

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US568SU	0.4	STR	NON-INS	NON-IRRG	4
US569SU	0.4	STR	INS	NON-IRRG	4

ELECTROSURGERY

Disposable Bipolar Forceps

ROSE GOLD DISPOSABLE JEWELERS BIPOLAR FORCEPS, BOX OF 5

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US408SU	0.4	STR	INS	NON-IRRG	4
US409SU	1.0	STR	INS	NON-IRRG	5



US408SU-US409SU

ROSE GOLD DISPOSABLE BIPOLAR FORCEPS, BOX OF 5



US201SU-US564SU

1/2



US565SU

1/2

Catalog Number	Tip Size (mm)	Shape	Style	Insu-lation	Irri-gation	Working Length (in.)	Length (in.)
US565SU	0.7	STR	SEMKIN	INS	NON-IRRG		5 1/2
US559SU	1.5	BAYONET	SCOVILLE	INS	NON-IRRG	2 3/4	7 3/4
US201SU	0.5	BAYONET	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US561SU	0.7	BAYONET	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US202SU	1.0	BAYONET	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US203SU	1.5	BAYONET	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US566SU	2.0	BAYONET	CUSHING	INS	NON-IRRG	3 1/2	7 1/2
US204SU	0.5	BAYONET	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US563SU	0.7	BAYONET	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US205SU	1.0	BAYONET	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US206SU	1.5	BAYONET	HARDY	INS	NON-IRRG	4 1/2	8 1/2
US564SU	2.0	BAYONET	HARDY	INS	NON-IRRG	4 1/2	8 1/2

ELECTROSURGERY

Disposable Bipolar Forceps

ROSE GOLD DISPOSABLE IRRIGATING BIPOLAR FORCEPS, BOX OF 5

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US410SU	0.5	BAYONET	INS	IRRG	4 1/2	8 1/2
US411SU	1.0	BAYONET	INS	IRRG	4 1/2	8 1/2
US412SU	1.5	BAYONET	INS	IRRG	4 1/2	8 1/2



US410SU-US412SU

1/2

STAINLESS STEEL DISPOSABLE IRRIGATING BIPOLAR FORCEPS, BOX OF 5

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Working Length (in.)	Length (in.)
US523SU	0.5	BAYONET	INS	IRRG	4 1/2	8 1/2
US524SU	1.0	BAYONET	INS	IRRG	4 1/2	8 1/2
US525SU	1.5	BAYONET	INS	IRRG	4 1/2	8 1/2



US523SU-US525SU

1/2

SPECIALTY DISPOSABLE NON-STICK BIPOLAR FORCEPS



US501SU-US509SU



1/1



US501SU-US509SU

Catalog Number	Tip Size (mm)	Shape	Insulation	Irrigation	Length (in.)
US501SU	0.5	BAYONET	INS	NON-IRRG	7
US502SU	1.0	BAYONET	INS	NON-IRRG	7
US503SU	1.5	BAYONET	INS	NON-IRRG	7
US504SU	0.5	BAYONET	INS	NON-IRRG	8
US505SU	1.0	BAYONET	INS	NON-IRRG	8
US506SU	1.5	BAYONET	INS	NON-IRRG	8
US507SU	0.5	BAYONET	INS	NON-IRRG	9
US508SU	1.0	BAYONET	INS	NON-IRRG	9
US509SU	1.5	BAYONET	INS	NON-IRRG	9

ELECTROSURGERY

Bipolar Connecting Cords

BIPOLAR CORDS FOR ALIS PRO

Catalog Number	New Cord	Pin Distance	Compatible Generators
GN145		22 MM	EMC DOLLEX ERBE Int'l MARTIN
GN085		29 MM	AESCULAP VALLEYLAB ERBE
GN146		38 MM	CODMAN CMC II / III ERBE MARTIN

LANDOLT BIPOLAR CORD AND ADAPTERS



GK195



GN219



GN224

Catalog Number	Pin Distance (mm)	Description
GK195	28.6	REUSABLE CORD F/ INSULATED LANDOLT FORCEPS
GN219	32	ADAPTER F/ CONMED
GN224	38	ADAPTER F/ CODMAN

ALIS PRO

ELECTROSURGERY

Bipolar Connecting Cords

DUAL BIPOLAR CORD, STERILE DISPOSABLE



US349SP

1/2

Catalog Number	Packaging	Length (ft)
US349SP	10/BOX	12

ROUND BIPOLAR CORD, REUSABLE



US351

1/2

Catalog Number	Material	Length (ft)
US351	SILICONE	12

DUAL BIPOLAR CORD, REUSABLE




US359


Catalog Number	Length (ft)
US359	12

COMBINED BIPOLAR AND IRRIGATION CORD


Equipment Side Instrument Side



US352



US353



US355



US356

Catalog Number	Pin Type	Packaging	Compatible w/
US352	DUAL	BOX OF 10	-
US353	ROUND	BOX OF 10	-
US355	DUAL	BOX OF 10	MALIS 1000 IRRIGATION SYSTEM
US356	ROUND	BOX OF 10	MALIS 1000 IRRIGATION SYSTEM

info@royalinternational.org | +91 98142 62255 | www.alis.in